





Replacement Sheet

FIG. 1
(PRIOR ART)



BEST AVAILABLE COPY

FIG. 2A






FIG. 2B




FIG. 3A




FIG. 3B




FIG. 4




FIG. 5A




FIG. 5B




FIG. 5C




FIG. 5D




FIG. 6




FIG. 7




FIG. 8






FIG. 9



1 2 3 4 5 6 7 8 9 10 11 12



p. 98 (3885)


lane

1. 100% recovery equivalent
2. 75% recovery equivalent
3. 50% recovery equivalent
4. 25% recovery equivalent
5. Tip #1 eluate
6. Tip #1 flow through

lane


7. Tip #2 eluate
8. Tip #2 flow through
9. Tip #3 eluate
10. Tip #3 flow through
11. Tip #4 eluate
12. Tip #4 flow through

FIG. 12



- | | | | | | | | | | | | |
|-----------------------------|---|---|---|---|---|-------------------------|---|---|----|----|----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| <u>lane</u> | | | | | | <u>lane</u> | | | | | |
| 1. 100% recovery equivalent | | | | | | 7. Tip #2 eluate | | | | | |
| 2. 75% recovery equivalent | | | | | | 8. Tip #2 flow through | | | | | |
| 3. 50% recovery equivalent | | | | | | 9. Tip #3 eluate | | | | | |
| 4. 25% recovery equivalent | | | | | | 10. Tip #3 flow through | | | | | |
| 5. Tip #1 eluate | | | | | | 11. Tip #4 eluate | | | | | |
| 6. Tip #1 flow through | | | | | | 12. Tip #4 flow through | | | | | |

FIG. 13



1 2 3 4 5 6 7 8 9 10 11 12

lane


1. 100% recovery equivalent
2. 75% recovery equivalent
3. 50% recovery equivalent
4. 25% recovery equivalent
5. Tip #1 eluate
6. Tip #1 flow through

lane

7. Tip #2 eluate
8. Tip #2 flow through
9. Tip #3 eluate
10. Tip #3 flow through
11. Tip #4 eluate
12. Tip #4 flow through

FIG. 14

1 2 3 4 5 6 7 8



LANE

1. 100% recovery equivalent
2. 75% recovery equivalent
3. 50% recovery equivalent
4. 25% recovery equivalent
5. Tip #1 eluate
6. Tip #1 flow through
7. Tip #2 eluate
8. Tip #2 flow through

FIG. 15

93X

700μM




FIG. 16A

91X

720 μ M




FIG. 16B

380X

170μM



-62

FIG. 17

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.